

# Krause® Brunnen

Zierbrunnen und Wasserspiele  
aus Kupfer, Messing und mehr

Peter Krause Dipl.-Designer  
Obere Wende 13 · 33739 Bielefeld  
Tel.: (05 21) 88 60 40 · Fax 89 33 77  
www.krause-brunnen.de · E-Mail: info@krause-brunnen.de

**- Art with water - Krause®-Brunnen since 1979.**  
Fountains and mobiles for your garden and home manufactured by Peter Krause, graduated designer. Harmonic design, matured construction as well as excellent workmanship and well planned water-course show you the element of water in its most beautiful form. This product information and price-list gives answers to all your questions regarding your favourite fountain and its accessories.


**Your guide through this list:**

Art.-No.: = 11D04: 11 = Fountain group, D = diameter of bowls,  
 4 = number of bowls  
 i = also suitable for indoors / terrace.  
 i = manufactured for indoors / terrace.  
 [11.4] = Catalogue page 11; the 4th picture.  
 b = volume level / floating noise; see page 4.  
 [70] = app. visible height in basin above water level.  
 [105H] = total height including ground-plate of fountain.

☒ = fitting pump for fountain  
 WA60 = Water basin with cover, ø60cm, suitable for decorating with pebbles.  
 B = illumination for fountain with transformer, 12V  
 BA = Electric installation, the nearly invisible, perfect and most economic solution for the electric installation next to the fountain. Sensor light control.  
 K = Copper-animals are the final touch on every fountain. Also suitable for decorating your garden. Please visit the "zoo" on catalogue pages 18-19.

P. 1/4 EXPORT PRICELIST: 2010a		Prices in € excluding VAT			CHOICE OF ACCESSORIES: not included further information see p. 4				
Art.-No.:	Article-Description and Volume of Delivery	Height: H visible: ↓ total: ↓	Price incl. pump	Water basin/ Cover/ cm Hydro-waterbasin	Underwater-illumination No. €	Copper-bird No. €	Electric installation No. €		
<b>1- Wall-Fountain: Wallplate made of copper with water-outlet, cascading bowls, waxed surface. Very low volume level. No splashing. For indoor or terrace use. Pump in basic basin.</b>									
1K 02	Wallfountain with 2 bowls, 1 plant- and 1 pumpbowl	ⓐ 23x30H	196,-	-	ⓐ add. 21,-	KV 4 33,-	-		
1K 04	Wallfountain with 4 bowls, 1 plant- and 1 pumpbowl	ⓐ 23x44H	251,-	-	ⓐ add. 21,-	KV 4 33,-	-		
1K 07	Wallfountain with 7 bowls, 2 plant- and 1 pumpbowl	ⓐ 27x60H	419,-	-	BW 1 98,-	KV 4 33,-	-		
1K 10	Wallfountain with 10 bowls, 2 plant- and 1 pumpbowl	ⓐ 44x72H	554,-	-	BW 1 98,-	KV 4 33,-	-		
1K 14	Wallfountain with 14 bowls, 2 plant- and 1 pumpbowl	ⓐ 27x94H	655,-	-	BW 1 98,-	KV 4 33,-	-		
1K 22	Wallfountain with 10+12 bowls, 2 outlets 4 plant + 1 pumpbowl	ⓐ 60x94H	1125,-	-	BW 1 98,-	KV 4 33,-	-		
<b>2- Bowl Mobile: With constantly self-emptying bowls, 3 to 24 bowls and up to 2,55 m height available.</b>									
2- 03	-with 3 bowls-ø 8 (for indoor use: basin HW 50 + HP 77 or WK 72 / WK 96)	ⓧ 45 ↓ 75H	318,-	W 60 59,-	B 2000 200,-	KV 4 33,-	BA 4 419,-		
2- 04	-with 4 bowls-ø 8 (for indoor use: basin HW 55 + HP 77 or WK 79 / WK 96)	ⓧ 45 ↓ 75H	428,-	W 60 59,-	B 2000 200,-	KV 4 33,-	BA 4 419,-		
2- 06	-with 6 bowls-ø 8 (for indoor use: basin HW 77 or WK 79 / WK 96)	ⓧ 55 ↓ 90H	638,-	W 85 125,-	B 2000 200,-	KV 4 33,-	BA 4 419,-		
2- 08	-with 8 bowls-ø 8 (for indoor use: basin HW 77 or WK 79 / WK 96)	ⓧ 55 ↓ 90H	806,-	W 85 125,-	B 2000 200,-	KV 4 33,-	BA 4 419,-		
2- 09	Bowl-Mobile with 9 bowls, ø 10	ⓧ 82 ↓ 117H	1189,-	W 100 134,-	B 2000 200,-	KS 6/7 100,-	BA 4 419,-		
2- 12	Bowl-Mobile with 15 bowls, ø 10	ⓧ 95 ↓ 130H	1512,-	W 125 142,-	B 3000 300,-	KS 6/7 100,-	BA 4 419,-		
2- 15	Bowl-Mobile with 15 bowls, ø 10	ⓧ 125 ↓ 170H	1831,-	W 165 352,-	B 3000 300,-	KS 6/7 100,-	BA 4 419,-		
2- 24	Bowl-Mobile with 24 bowls, ø 10	ⓧ 200 ↓ 255H	2966,-	W 220 516,-	B 3000 300,-	KS 6/7 189,-	BA 4 419,-		
<b>3- Tree of Balls: Very complex manufactured, convex made copper leaves with water dripping over them. For groups trees of balls are especially suitable. They are operated by only one pump. It is said, that this is supposed to be the most beautiful Krause®-Brunnen.</b>									
3- 35	Tree of Balls-ø appr. 35, made of single copper leaves	ⓧ 65 ↓ 115H	1218,-	WA 85 201,-	BG 20 361,-	KS 6 100,-	BA 4 419,-		
3- 35+45	2 Trees of Balls, ø appr. 35 and 45, single copper leaves	ⓧ 100 ↓ 135H	2831,-	WA 125 394,-	BG 30 542,-	KS 6/7 189,-	BA 4 419,-		
3- 40	Tree of Balls-ø appr. 40, made of single copper leaves	ⓧ 82 ↓ 117H	1377,-	WA 100 260,-	BG 20 361,-	KS 6/7 189,-	BA 4 419,-		
3- 45	Tree of Balls-ø appr. 45, made of single copper leaves	ⓧ 100 ↓ 135H	1613,-	WA 125 394,-	BG 20 361,-	KS 6/7 189,-	BA 4 419,-		
3- 35/40/45	3 Trees of Balls, ø appr. 35, 40 and 45, single copper leaves	ⓧ 109 ↓ 135H	4208,-	WA 125 394,-	BG 30 542,-	KS 6/7 189,-	BA 4 419,-		
3- 55	Tree of Balls-ø appr. 55, made of single copper leaves	ⓧ 125 ↓ 170H	2688,-	WA 165 688,-	BG 30 542,-	KS 6/7 189,-	BA 4 419,-		
3- 65	Tree of Balls-ø appr. 65, made of single copper leaves	ⓧ 145 ↓ 190H	3470,-	WA 165 688,-	BG 30 542,-	KS 6/7 189,-	BA 4 419,-		
<b>4- Bowl Columns: Bowls-ø: 15/20/30, from ø 30 cm with melted edge. Height of water adjustable by power-diver EP1. Foaming-jets can be replaced by bell-jets, if a lower volume level is requested. See accessories: Art.-No. WG20 or WG30</b>									
4- 03	3 Bowl-columns, bowl-ø 30 (Bell-jets: WG 30)	ⓧ 55 ↓ 96H	1613,-	WA 165 688,-	B 1300 400,-	KE 11/KS 67	BA 4 419,-		
4- 04	4 Bowl-columns, bowl-ø 30 (Bell-jets: WG 30)	ⓧ 65 ↓ 111H	1966,-	WA 165 688,-	B 1400 500,-	KE 11/KS 67	BA 4 419,-		
4- 05	5 Bowl-columns, bowl-ø 30 (Bell-jets: WG 30)	ⓧ 86 ↓ 127H	2461,-	WA 220 1167,-	B 2500 700,-	KE 11/KS 67	BA 5 587,-		
4- 07	7 Bowl-columns, bowl-ø 30 (Bell-jets: WG 30)	ⓧ 93 ↓ 149H	3445,-	WA 220 1167,-	B 2700 900,-	KE 11/KS 67	BA 5 587,-		
4- 09	9 Bowl-columns, bowl-ø 30 (Bell-jets: WG 30)	ⓧ 100 ↓ 149H	4424,-	WA 220 1167,-	B 2900 1100,-	KE 11/KS 67	BA 5 587,-		
4C 03	3 small Bowl-columns, bowl-ø 15 (indoors: HW 30)	ⓧ 35 ↓ 65H	441,-	WA 60 108,-	B 1003 274,-	KV 4 33,-	BA 4 419,-		
4C 04	4 small Bowl-columns, bowl-ø 15 (indoors: HW 36)	ⓧ 42 ↓ 72H	503,-	WA 60 108,-	B 1004 332,-	KV 4 33,-	BA 4 419,-		
4D 03	3 small Bowl-columns, bowl-ø 20 (Bell-jets: WG 20)	ⓧ 48 ↓ 80H	891,-	WA 100 260,-	B 1003 274,-	KS 6/7 189,-	BA 4 419,-		
4D 03 i	like 4C 03, for indoor use, water-basin HW 36 included	ⓧ 58H	957,-	HP 55 49,-	B 1003 274,-	KS 6/7 189,-	-		
4D 04	4 small Bowl-columns, bowl-ø 20 (indoors: HW 50)	ⓧ 48 ↓ 90H	1172,-	WA 100 260,-	B 1004 332,-	KS 6/7 189,-	BA 4 419,-		
<b>5- Water Wheel: Two water wheels (ø 65) with 8 water bowls per wheel turning into contrary directions.</b>									
5- 65	-with 2 water wheels, ø 65, with 8 bowls	ⓧ 105 ↓ 140H	1840,-	WA 125 394,-	B 2001 258,-	KE 11 142,-	BA 4 419,-		
<b>6- Bell Mobile: Pendulums are continuously moving up and down pushed by water and let the bells melodious ring. A very attractive mobile.</b>									
6- 03	Bell Mobile, 3 brass bells = triad	ⓧ 107 ↓ 137H	1332,-	WA 60 108,-	B 2000 200,-	KV 4 33,-	BA 4 419,-		
6- 09	Bell Mobile, 9 brass bells = 1 octave	ⓧ 120 ↓ 155H	3184,-	WA 125 394,-	B 3000 300,-	KE 11 142,-	BA 4 419,-		
6- 09.1	Bell Mobile, 9 brass bells, 3 tilting bowls	ⓧ 215 ↓ 250H	3906,-	WA 125 394,-	B 3000 300,-	-	BA 4 419,-		
6- 18	Bell Mobile, 18 brass bells = 2 x 1 octave	ⓧ 180 ↓ 225H	6088,-	WA 165 688,-	B 4000 400,-	KE 11 142,-	BA 4 419,-		
<b>7- Bowl Column: with several branches with staggered built bowls, ø 20 cm. From ø 30 cm with drop shape melted edges. Refreshing bubbling.</b>									
7- 04	Bowl Column, 4 branches, bowl-ø 30 (Bell-jets: WG 30)	ⓧ 100 ↓ 145H	1764,-	WA 165 688,-	B 2400 600,-	KE 11/KS 67	BA 4 419,-		
7- 05	Bowl Column, 5 branches, bowl-ø 30 (Bell-jets: WG 30)	ⓧ 110 ↓ 165H	2008,-	WA 220 1167,-	B 2500 700,-	KE 11/KS 67	BA 4 419,-		
7D 03	Bowl Column ø 44, 3 branches, bowl-ø 20 (Bell-jets: WG 20)	ⓧ 70 ↓ 105H	803,-	WA 125 394,-	B 2003 399,-	KS 6/7 189,-	BA 4 419,-		
7CR 05	"Peter's Brünnele", 5 pipes and bowls ø 15	ⓧ 50 ↓ 85H	1066,-	WA 100 260,-	B 0005 290,-	KS 6/7 189,-	BA 4 419,-		
<b>8- Pendulum Mobile: moving bowls on pendulums are filling with water and emptying themselves automatically. Permanently moving, maintenance-free.</b>									
8- 03	-with 3 pendulums (indoors: basin HW 55 + HP 77 or WK 79 / WK 96)	ⓧ 55 ↓ 85H	508,-	WA 60 108,-	B 2000 200,-	KV 4 33,-	BA 4 419,-		
8- 04	-with 4 pendulums (indoors: basin HW 55 + HP 77 or WK 79 / WK 96)	ⓧ 55 ↓ 85H	845,-	WA 60 108,-	B 2000 200,-	KV 4 33,-	BA 4 419,-		
8- 06	-with 6 pendulums (indoors: basin HW 77 + HP 110 or WK 79 / WK 96)	ⓧ 68 ↓ 103H	1282,-	WA 85 201,-	B 2000 200,-	KV 4 33,-	BA 4 419,-		
8- 16	Pendulum Mobile, 6 pendulums + 3 moving bowls ø 11	ⓧ 135 ↓ 170H	2475,-	WA 100 260,-	B 3000 300,-	KS 6/7 100,-	BA 4 419,-		
8- 26	Pendulum Mobile, 6 pendulums + 3 moving bowls ø 11	ⓧ 210 ↓ 255H	2613,-	WA 165 688,-	B 3000 300,-	KS 6/7 100,-	BA 4 419,-		
<b>9- Tree of Hemispheres: a lot of hemispheres with foaming-jets, arranged like a ball, each jet sprays water at the same height.</b>									
9B 20	Tree of Hemispheres ø 39, with 20 hemispheres ø 10	ⓧ 85 ↓ 117H	1265,-	WA 125 394,-	B 2000 200,-	KS 6/7 100,-	BA 4 419,-		
9C 20	Tree of Hemispheres ø 70, with 20 hemispheres ø 15	ⓧ 160 ↓ 210H	1887,-	WA 220 1167,-	B 3000 300,-	KS 6/7 100,-	BA 4 419,-		
9C 25	Tree of Hemispheres ø 85, with 25 hemispheres ø 15	ⓧ 180 ↓ 230H	2478,-	WA 220 1167,-	B 4000 400,-	KS 6/7 189,-	BA 4 419,-		

i...also for indoor use e.g.: foyer, terrace \*...volume level description: see page 4 †...approximate visible height, when installed ‡...total height

Krause-Brunnen Obere Wende 13 D-33739 Bielefeld Tel.: 0521/ 88 60 40 Fax: 89 33 77 www.krause-brunnen.de info@krause-brunnen.de									
P. 2/4 EXPORT PRICELIST: 2010a		Prices in € excluding VAT			CHOICE OF ACCESSORIES: not included further information see p. 4				
Art.-No.:	Article-Description and Volume of Delivery	L' e v e l total: ↓	Height: H visible: ↓	Price incl. pump	Water basin/ Cover/ cm Hydro-Water basin	Underwater-illumination No. €	Copper-bird No. €	Electric installation No. €	
<b>10- Water Bowl: with drop shape melted edges and foaming-jet. Montage on cover conveniently. Height adjustable by power-devised EPI.</b>									
10- 30	Water Bowl ø 30, with foaming spray jet, H: ~25cm	Ⓞ	↓ 15H	345,-	WA 100 260,-	B 0100 100,-	KS 67 189,-	BA 4 419,-	
10- 30 S	ø 30, solar-foaming spray jet, pump, 2 panels á 11W	Ⓞ	↓ 15H	672,-	WA 85 201,-	-	KS 67 189,-	2 solar panels	
10- 75									
<b>11- Veil Column: A silent, staying wide, transparent veil of water flowing from bowl to bowl without splashing. From 33 to 575cm total height. From 11-05 water-outlet in basic bowl. Also suitable for arrangement in rows. With illumination an outstanding attraction.</b>									
11- 03	3 Veil Columns, bowl-ø 30 (indoors: WA 85/100/101)	Ⓞ	↓ 85 ↓ 120H	1269,-	WA 100 260,-	B 1300 400,-	KE 11/KS 67	BA 4 419,-	
11- 04	4 Veil Columns, bowl-ø 30 (indoors: W 100/101)	Ⓞ	↓ 110 ↓ 145H	1676,-	WA 100 260,-	B 1400 500,-	KE 11/KS 67	BA 4 587,-	
11- 05	5 Veil Columns, bowl-ø 30 (indoors: W 100/101)	Ⓞ	↓ 135 ↓ 170H	1861,-	WA 125 394,-	B 0500 500,-	KE 11/KS 67	BA 5 587,-	
11- 06	6 Veil Columns, bowl-ø 30 (indoors: W 126)	Ⓞ	↓ 150 ↓ 195H	2462,-	WA 165 688,-	B 0600 600,-	KE 11/KS 67	BA 5 587,-	
11- 08	8 Veil Columns, bowl-ø 30 (indoors: W 126)	Ⓞ	↓ 200 ↓ 245H	3336,-	W 165 352,-	B 0800 800,-	KE 11/KS 67	BA 5 587,-	
11- 09	9 Veil Columns, bowl-ø 30 (indoors: W 126)	Ⓞ	↓ 225 ↓ 270H	3740,-	W 165 352,-	B 0900 900,-	KE 11/KS 67	BA 5 587,-	
11- 13	13 Veil Columns, bowl-ø 30 (indoors: W 165)	Ⓞ	↓ 315 ↓ 370H	5310,-	W 220 516,-	B 013000 1300,-	KE 11/KS 67	BA 5 587,-	
11C 03	3 small Veil Columns, bowl-ø 15	Ⓞ	↓ 41 ↓ 71H	382,-	WA 60 108,-	B 1003 274,-	KS 67 189,-	BA 4 419,-	
11C 03 i	like 11C 03, for indoor use, basin HW 36 included	Ⓞ	↓ 38 ↓ 60H	449,-	HP 55 49,-	B 1003 274,-	KS 67 189,-	-	
11CK03 i	like 11C 03, in copper-water-bowl WK 41 ø41x14	Ⓞ	↓ 45H	508,-	PK 13 22,-	B 0004 232,-	KS 67 189,-	-	
11C 04	4 small Veil Columns, bowl-ø 15	Ⓞ	↓ 52 ↓ 82H	478,-	WA 60 108,-	B 1004 332,-	KS 67 189,-	BA 4 419,-	
11C 04 i	like 11C 04, for indoor use, basin HW 36 included	Ⓞ	↓ 70H	545,-	HP 55 49,-	B 1004 332,-	KS 67 189,-	-	
11CK04 i	like 11C 04, in copper-water-bowl WK 48 ø48x15	Ⓞ	↓ 61H	621,-	PK 13 22,-	B 0005 290,-	KS 67 189,-	-	
11C 05	5 small Veil Columns ø 38, bowl-ø 15	Ⓞ	↓ 63 ↓ 93H	621,-	WA 60 108,-	B 1005 390,-	KS 67 189,-	BA 4 419,-	
11C 05 i	like 11C 05, for indoor use, basin HW 36 included	Ⓞ	↓ 80H	603,-	HP 55 49,-	B 1005 390,-	KS 67 189,-	-	
11CK 05 i	like 11C 05, in copper-water-bowl WK 48 ø48x15	Ⓞ	↓ 47H	861,-	PK 13 22,-	B 0006 348,-	KS 67 189,-	-	
11D 03	3 small Veil Columns, bowl-ø 20	Ⓞ	↓ 55 ↓ 90H	638,-	WA 85 201,-	B 1003 274,-	KS 67 189,-	BA 4 419,-	
11D 03 i	like 11D 03, for indoor use, basin HW 50 included	Ⓞ	↓ 71H	730,-	HP 77 101,-	B 1003 274,-	KS 67 189,-	-	
11D 04	4 small Veil Columns, bowl-ø 20	Ⓞ	↓ 70 ↓ 105H	815,-	WA 85 201,-	B 1004 332,-	KS 67 189,-	BA 4 419,-	
11D 04 i	like 11D 04, for indoor use, basin HW 50 included	Ⓞ	↓ 81H	898,-	HP 77 101,-	B 1004 332,-	KS 67 189,-	-	
11D 05	5 small Veil Columns, bowl-ø 20	Ⓞ	↓ 85 ↓ 120H	933,-	WA 85 201,-	B 1005 390,-	KS 67 189,-	BA 4 419,-	
11D 05 i	like 11D 05, for indoor use, basin HW 50 included	Ⓞ	↓ 91H	1016,-	HP 77 101,-	B 1005 390,-	KS 67 189,-	-	
11D 07	7 small Veil Columns, bowl-ø 20 (indoors: HW50+HP77)	Ⓞ	↓ 115 ↓ 150H	1366,-	WA 100 260,-	B 1007 506,-	KS 67 189,-	BA 4 419,-	
11D 09	9 small Veil Columns, bowl-ø 20	Ⓞ	↓ 150 ↓ 180H	1786,-	WA 125 394,-	B 1009 622,-	KS 67 189,-	BA 4 419,-	
<b>12- Water Balls: two copper hemispheres of ø 20/25/30cm, apart mounted, with water running down. Smooth surface or crust of copper.</b>									
12D 01	1 Water Ball, ball-ø 20 surface: crust of copper	Ⓞ	↓ 79 ↓ 109H	297,-	WA 60 108,-	B 0001 58,-	-	BA 4 419,-	
12E 01	1 Water Ball, ball-ø 25 surface: crust of copper	Ⓞ	↓ 94 ↓ 124H	139,-	WA 60 108,-	B 0001 58,-	-	BA 4 419,-	
12F 01	1 Water Ball, ball-ø 30 surface: crust of copper	Ⓞ	↓ 110 ↓ 140H	929,-	WA 60 108,-	B 0001 58,-	-	BA 4 419,-	
12DEF 3	3 Water Balls, ball-ø 20/25/30 surface: crust of copper	Ⓞ	↓ 105 ↓ 140H	2318,-	WA 100 260,-	B 0003 174,-	-	BA 4 419,-	
12- 33	3 Water Balls, ball-ø 30 surface: smooth	Ⓞ	↓ 85 ↓ 120H	2159,-	WA 125 394,-	B 0003 174,-		BA 4 419,-	
<b>13- Roman Fountain: water flowing from bowl to bowl, building a constantly opening and closing veil. Attractive from every position. For further "information" please read C.F. Meyer's poem on page 5 "Der Römische Brunnen".</b>									
13- 33	Roman Fountain, bowl-ø 15/20/30 (indoors: HW 77)	Ⓞ	↓ 55 ↓ 90H	962,-	WA 100 260,-	B 2002 316,-	KS 6 100,-	BA 4 419,-	
13- 34	Roman Fountain, bowl-ø 20/30/40 (indoors: W 100)	Ⓞ	↓ 75 ↓ 110H	1412,-	WA 125 394,-	B 2002 316,-	KS 6 100,-	BA 4 419,-	
13- 35	Roman Fountain, bowl-ø 30/40/50 (indoors: W 125)	Ⓞ	↓ 90 ↓ 135H	1797,-	WA 165 688,-	B 2200 400,-	KE 11 142,-	BA 4 419,-	
<b>14- Spindle Fountain: 5 oval bowls arranged around a middle pipe with arched water outlet. Pump in water-pot, ornamental pumice.</b>									
14K 05	Spindle Fountain, 5 oval bowls, water-pot ø15x12	Ⓞ	↓ 47 ↓ 60H	134,-	PS 32 13,-	Ⓞ/BZ1 22,-/ 60,-	KV 4 33,-	-	
<b>15- Veil Spiral: Many formed single pipes with one veil-forming copper bowl ø 15cm each, forming a spiral. Ideal for groups and high type of building. Pleasant, natural and discreet sound, as relaxing as a small mountain brook.</b>									
15C 07	Veil Spiral with 7 bowls ø 15 (indoors: HW50/HP77)	Ⓞ	↓ 95 ↓ 130H	1172,-	WA 85 201,-	B 0007 406,-	KS 67 189,-	BA 4 419,-	
15C 14	Veil Spiral ø 40, 14 bowls ø 15 (indoors: HW 77)	Ⓞ	↓ 175 ↓ 210H	2088,-	WA 100 260,-	B 00014 812,-	KS 67 189,-	BA 4 419,-	
15C 21	Veil Spiral with 21 bowls ø 15 (indoors: HW 77)	Ⓞ	↓ 250 ↓ 285H	3663,-	WA 100 260,-	B 00021 1218,-	KS 67 189,-	BA 4 419,-	
15C 20.4	Small Veil Tree ø 65, with 4 rows of veils, 20 bowls	Ⓞ	↓ 135 ↓ 170H	2962,-	WA 100 260,-	B 00020 1160,-	KS 67 189,-	BA 4 419,-	
15C 45.5	Large Veil Tree ø 100, with 5 rows of veils, 45 bowls	Ⓞ	↓ 225 ↓ 270H	7479,-	WA 165 688,-	B 30045 2909,-	KS 67 189,-	BA 5 587,-	
15CW 11.2	Veil Tree wall-fountain ø 75, double, 6+5 bowls	Ⓞ	↓ 145 ↓ 170H	2265,-	HW 73 included	B 00011 638,-	KS 67 189,-	BA 4 419,-	
15C 49.4	Veil Spiral quadruple "Sonnenhof", with 2x7, 14, 21 bowls	Ⓞ	↓ 250 ↓ 285H	6987,-	WA 125 394,-	B 00049 2841,-	KS 67 189,-	BA 5 587,-	
<b>16- Tree of Bowls: Many thin single pipes parallel conducted giving this type of fountain its tree like shape. Most pleasant quiet floating noise, relaxing for eyes and ears.</b>									
16A 32	Tree of Bowls ø 48 with 32 single pipes as "trunk"	Ⓞ	↓ 76 ↓ 106H	1063,-	WA 60 108,-	B 2000 200,-	KS 67 189,-	BA 4 419,-	
16A 32 i	like 16A 32, for indoor use, basin HW 30 included	Ⓞ	↓ 106H	1122,-	HP 50 o. HP 55	B 2000 200,-	KS 67 189,-	-	
16A 70	Tree of Bowls ø 57 with 70 single pipes as "trunk"	Ⓞ	↓ 125 ↓ 160H	2411,-	WA 85 201,-	B 3000 300,-	KS 67 189,-	BA 4 419,-	
16A 70 i	like 16A 70, for indoor use, basin HW 50 included	Ⓞ	↓ 160H	2492,-	HP 77 101,-	B 3000 300,-	KS 67 189,-	-	
16A 100	Tree of Bowls ø 66 with 100 single pipes as "trunk"	Ⓞ	↓ 170 ↓ 205H	3504,-	WA 85 201,-	B 4000 400,-	KS 67 189,-	BA 4 419,-	
16A 100 i	like 16A 100, for indoor use, basin HW 50 included	Ⓞ	↓ 205H	3587,-	HP 77 101,-	B 4000 400,-	3xKS 67 567,-	-	
<b>Bunch of Bowls: Many thin single pipes with bowls are arranged to a "bunch". Pump in pot with cover. 16K 18 is the ultimate partition for large rooms.</b>									
16A 27	Bunch of Bowls 27 bowls + pipes, pump, basin HW 36	Ⓞ	↓ 184H	1260,-	HP 55 o. WK 68	-	KS 67 189,-	-	
16A 35	Bunch of Bowls 35 bowls + pipes, pump, basin HW 36	Ⓞ	↓ 230H	1525,-	HP 55 o. WK 68	-	KS 67 189,-	-	
16A 57.3	Bunch of Bowls, triple: 12/ 18/ 27 bowls, basin HW 50	Ⓞ	↓ 188H	2100,-	HP 77 o. WK 79	B 3000 300,-	KS 67 189,-	-	
16A 65.3	Bunch of Bowls, triple: 12/ 18/ 35 bowls, basin HW 50	Ⓞ	↓ 230H	2676,-	HP 77 o. WK 96	B 3000 300,-	KS 67 189,-	-	
16A 119.5	Bunch of Bowls, fivefold: 12/ 18/ 2 x 27/ 35 bowls, HW 70	Ⓞ	↓ 208 ↓ 230H	4878,-	WK 96 441,-	B 4000 400,-	KS 67 189,-	-	
16K 06	Bunch of Bowls, 6 bowls + pipes, pot with pump ø 15x12	Ⓞ	↓ 48 ↓ 58H	214,-	PS 32 13,-	BZ 1 75,-	KV 4 33,-	-	
16K 09	Bunch of Bowls, 9 bowls + pipes, pot with pump ø 20x14	Ⓞ	↓ 61 ↓ 75H	340,-	PS 36 27,-	B 0010 66,-	KV 4 33,-	-	
16K 12	Bunch of Bowls, 12 bowls + pipes, pot with pump ø 20x14	Ⓞ	↓ 78 ↓ 91H	450,-	HP 50 39,-	B 0010 66,-	KV 4 33,-	-	
16K 18	Bunch of Bowls, 18 bowls + pipes, pot with pump ø 26x14	Ⓞ	↓ 111 ↓ 124H	735,-	HP 50 39,-	B 0100 100,-	KV 4 33,-	-	
16K 39.3	Bunch of Bowls, triple : 9/ 12/ 18 bowls, pot ø 36x15	Ⓞ	↓ 111 ↓ 129H	1327,-	HP 55 49,-	B 0100 100,-	KS 67 189,-	-	
16KW 10.2	Bunch of Bowls wall-fountain, 6 + 4 bowls	Ⓞ	38x58H	472,-	-	BZ 1 75,-	KV 4 33,-	-	

i...also for indoor use e.g.: foyer, terrace \*...volume level description: see page 4 Ⓞ...approximate visible height, when installed ↓...total height

Experience "floating water" and watch full size photos - visit [www.krause-brunnen.de](http://www.krause-brunnen.de)



P. 4/4 Krause-Brunnen Obere Wende 13 D-33739 Bielefeld Tel.: 0521/ 88 60 40 Fax: 89 33 77 www.krause-brunnen.de info@krause-brunnen.de			
Art.-No.:	Accessory export pricelist for your Krause®-Brunnen	Article description	€
<b>Illumination for your Krause-Brunnen:</b> Number "0001" for quantity, e.g.: 1 lamp for B0001. Position of the number for article number. Example: B4231 = 4 x B1000; 2 x B0100; 3 x B0010; 1 x B0001 total: 10 lamps			
B0001*	Halogen underwater-reflector 12V 5, 10 or 20W, 330°; transformer part included. For bowls from ø 15 cm and for indoor fountains.	installed	58,-
B0010*	Halogen underwater-reflector 12V 10/20W, 8°, transformer part incl. Light model for copper bowls from ø 20 cm und and for indoor fountains.	installed	66,-
B0100*	Halogen underwater-reflector 12V 20W, 12°, transformer part included. Heavy model for copper bowls from ø 30 cm and water basins.	installed	100,-
B1000*	Halogen underwater-reflector 12V 20/35 o. 50W. Installed in the water basin or outside the water. Transformer part included.	installed	100,-
BG 01	Garden spot 230V, 120W, 12° with earth pick, for BA 3,4,5.		117,-
BG 10	Low voltage spot for illumination from edge of basin.		181,-
BS 1	Underwater lamp 12V 10W for Water Column		55,-
BW 1	Wall-fountain illumination 12V 5/10/20W, installed in the pump basin. Transformer behind wallplate. Switch and white mains cable included.		98,-
BZ 1	Underwater-lamp 12V 5 o. 10W, transformer with cable/switch		75,-
<b>Electric accessories</b>			
*BA 2	Wall installation with light sensor, 2 sockets		224,-
*BA 3	like BA 4, without transformer installation, light sensor included		297,-
*BA 4	Connecting pillar, black, with 2 230V sockets for pump and illumination, Light sensor included.		419,-
*BA 5	Fountain connecting pillar, 12V		587,-
BF 1	Remote control for connecting pillar BA 4, range appr. 150 m		413,-
ED 1	Light sensor 230V 6A, switches the fountain's illumination automatically.		63,-
EF 10	Protection adapter 10mA		92,-
EF 30	Fi-Protection adapter 30mA		56,-
EH 1	Hygrometer for room fountains, controls the room's humidity.		29,-
EK 1	Cable cover	per m.	2,-
EK 3	Earth-cable 3x1,5mm, for BA 3 (installed: +€ 15,-)	per m.	2,-
EK 4	Earth-cable 4x1,5mm, for BA 4 (installed € 15,-)	per m.	3,-
EK 7	Cable drain from basin to BA 4, length: 125cm (adjustable)		21,-
EP 1	Power divider, adjusts height of water, for Art.-No. 4 and 7.		118,-
EU 4	Underwater cable-clamp connection, 4 connectors PG 16.		94,-
EW 2	Storm and frost switch electric.		1160,-
<b>Hydro-water basin, 24(22)H, brown, with fountain mount. Hydro-plant basin for indoors and terrace. The hydro-water basin with fountain and pump is put in the hydro-plant basin. It can be decorated with e.g. ivy or ficus pumilla. Swimming stones cover pump and electric installation.</b>			
HP 50	Hydro-plant basin ø50x24H (or HP 73)		39,-
HP 55	Hydro-plant basin 50x50x24H (Lecatun with HW 36=24l, HW 30=28l)		49,-
HP 73	Hydro-plant basin 70x35x24H (Lecatun with HW 30=30l)		57,-
HP 77	Hydro-plant basin 70x70x24H (Lecatun with HW 50=42l, HW 55=45l)		101,-
HP 101	Hydro-plant basin 100x100x44H (Lecatun with HW 70=95l, HW 77=120l)		391,-
HR 1	Hydro basin-rollers, 4 pieces		17,-
HW 30	Hydro-water basin ø30x24H +mount (basin cover 30,-)		58,-
HW 36	Hydro-water basin ø36x24H +mount (basin cover 39,-)		66,-
HW 50	Hydro-water basin ø50x24H +mount (basin cover 64,-)		83,-
HW 55	Hydro-water basin 50x50x24H +mount (basin cover 71,-)		92,-
HW 70	Hydro-water basin ø70x24H +mount (basin cover 95,-)		72,-
HW 73	Hydro-water basin 70x35x24H +mount (basin cover 78,-)		74,-
HW 77	Hydro-water basin 70x70x24H +mount (basin cover 96,-)		101,-
HW101	Hydro-water basin 101x101x44H +mount (basin cover 151,-)		310,-
<b>Copper animals, frost-proof, natural and pleasant. Also available on stone or as gargyle. More animals: www.krause-brunnen.de</b>			
KB 10	Wagtail on stone: + 14,-	10H	139,-
KE 11	Kingfisher on stone: + 14,-	11-14H	142,-
KE 11S	Kingfisher as gargyle, pump included, 3m cable (10m cable: + 14,-)	15H	209,-
KE 21	Pair of ducks, consisting of: KE 21A, standing: 291,- and KE 21B, sitting: 269,-	on stone: + 83,-	13+21H 531,-
KE 25	Duck mother 464,- with chick sitting/ standing: +130,-	on stone + 66,-	550,-
KH 25	Squirrel on stone: + 28,-	20H	274,-
KF 6	Peter's frog	6H	38,-
KF16S	frog as gargyle pump included, 3m cable (10m: +14,-)	on stone: +73,-	27x26x14H 734,-
Art.-No.:	Accessory export pricelist for your Krause®-Brunnen	Article description	€
KF 70S	Boy with fish	70H	2197,-
KG 8	Wren on stone: + 14,-	9H	139,-
KG 50	Goose on stone: + 48,-	50H	656,-
KK 28	Rabbit "Mr. Krause" on stone: + 48,-	20H	239,-
KH 27	Pair of ducks (sitting 478,- standing 478,-) on stone +48,- each	27H	937,-
KM 6	Mouse on stone: + 7,-	6H	139,-
KM 8	Titmouse on stone: + 14,-	8H	140,-
KR 9	Robin on stone: + 14,-	9H	139,-
KR 49	Heron, small on stone: + 48,-	50H	525,-
KR 72	Heron, bent, on ground plate	72H	1808,-
KR 100	Heron, upright, on ground plate	100H	1808,-
KS 6	Sparrow, head left	6,5H	100,-
KS 7	Sparrow, head straight	7H	100,-
KS 67	Pair of sparrows, consisting of: KS 6 and KS 7		189,-
KS 2	Peter's "small snail" on stone: +9,-	6x4H	58,-
KS 32	Two ducks, duck A 308,- duck B 760,- on stone (both) +66,-	32H	1067,-
KS 58	Bird bath, with 2 sparrows	53x38x6,5H	466,-
KV 4	Peter's "small" bird	4H	33,-
KW 12	Bird, beak opened: KW 12A; beak closed: KW 12B on stone: +7,-		139,-
<b>Plant bowl: for pump and plants</b>			
PK 13	Plant bowl copper, ø 13x6,5 (1/4 sphere)		22,-
PK 20	Plant bowl copper, ø 20x10 (1/4 sphere)		36,-
PK 30	Plant bowl copper, ø 30x15 (1/4 sphere)		61,-
PK 31	Plant bowl copper, ø 31x8		64,-
PK 42	Plant bowl copper, ø 42x8		72,-
PK 46	Plant bowl ceramics, ø 45x39H	(40l)	67,-
PS 32	Plant bowl ceramics, white, ø 32x10	(3l)	13,-
PS 36	Plant bowl ceramics, white, ø 36x10 (10l) 18,-/ bowl ø 42x10	(5l)	27,-
PSL 1	Lecatun for Plant bowl and Hydro-Plant basin	per l	2,-
<b>Water basin: plastic (fibre glass) black, frost proof. Also available: Earth-cable installation EK 1, earth-cable: EK 3 and float valve: WS 1. Water basin cover: plastic (fibre glass), for stone decoration, already cut out for fountain and illumination. Protects against dirt and algae.</b>			
W 60	Water basin ø 60x30H 85 l (granite: 8/11: 21+23)		59,-
WA 60	Water basin ø 60x30H with basin cover and cut out for fountain	5 kg	108,-
W 76	Water basin 70x60x30H		65,-
WA 76	Water basin 70x60x30H with basin cover and cut out for fountain		98,-
W 85	Water basin ø 85x35H 170 l (granite: 8/11: 29+34)		125,-
WA 85	Water basin ø 85x35H with basin cover and cut out for fountain	9 kg	201,-
W 100	Water basin ø 100x35H 200 l (granite: 8/11: 34+37)		134,-
WA 100	Water basin ø 100x35H with cover and cut for fountain	16 kg	260,-
W 101	Water basin 101x101x35H 350 l (granite: 8/11: 37+45)		123,-
WA 101	Water basin 101x101x35H with cover and cut out for fountain	20 kg	290,-
W 125	Water basin ø 125x35H 250 l (granite: 8/11: 40+45+47)		142,-
WA 125	Water basin ø 125x35H with cover and cut for fountain	25 kg	394,-
W 126	Water basin 125x125x35H 500 l (granite: 8/11: 44+50+61)		188,-
WA 126	Water basin 125x125x35H with basin cover and cut out for fountain		350,-
W 165	Water basin ø 165x45H 800 l (granite: 8/11: 55+57+60)		352,-
WA 165	Water basin ø 165x45H with 2 part cover and cut out for fountain		688,-
W 220	Water basin ø 220x55H 2.200 l (granite: 8/11: 64+68+76)		516,-
WA 220	Water basin ø 220x55H with basin cover and cut out for fountain		1167,-
WG 20	Bell-jet for fountains with copper bowls, ø 20 for Art.-No. 4,7,10		92,-
WG 30	Bell-jet for fountains with copper bowls, ø 30 for Art.-No. 4,7,10		125,-
WK 41	copper basin ø 41x14H, flat		100,-
WK 48	copper basin ø 48x15H, flat		122,-
WK 51	copper basin ø 51x19H flat		208,-
WK 68	copper basin ø 68x18H flat		262,-
WK 79	copper basin ø 79x16H, flat / rounded: 273,-		275,-
WK 96	copper basin ø 96x15H, flat		441,-
WM 48	brass basin ø 48x15H, flat		208,-
WP 6	PE-water pipe, 6bar, 20x 2,2 fits to float valve WS 1	per m.	1,-
WS 1	Float valve for water influx (hole- ø1,6) for water pipe: WP 6		66,-
WS 2	Float valve for water efflux ø85		97,-
WV ..	Water basin facing made of "Weser" stone, ø 85/ 100/ 125		pl. ask
WZ 96	Garden-pump		524,-

CK311010

**Realization:** Krause®-Brunnen with pump, fountain socket optional, accessories according to your choice, if not stated otherwise. Surface kept natural (flamed). Patina will appear by itself, in interior areas very slowly. Notice: Installing in basin (without addition of splash-edging) applying to my recommended water-depth, the result will be artistic and harmonic proportions according to "The Golden Cut". All measures are approx.-measures in cm. No. in [ ] = Picture in catalogue. Krause®-Brunnen for garden stay in the filled basin during frost. \*Level: @ to @: nearly not audible to silent murmuring; @ to @: silent, natural floating sound; @ to @: pleasant floating to strong bubbling sound; @ to @: irregular floating sound; @: irregular floating sound and bell-ringing. **Terms of payment:** All prices in € excluding VAT ex works excluding packing and delivery. Valid prices: day of delivery. Cash against documents or payment in advance when ordering. **Installation:** on request.

**Sales conditions according to BGB. Competency of a court is Bielefeld. Alterations without prejudice. © Krause®-Brunnen, Oct 2010**